

NT 30/1 AP TE M

NT 30/1 Ap Te M safety vacuum cleaner certified for dust class M. Electrically conductive accessories make it ideal for vacuuming fine dust on construction sites and in workshops.



Order no. 1.148-251.0

- 30-litre container, complete antistatic system, dust class M
- Electrically conductive accessories, Wet & Dry flat pleated filter, tool adapter

Technical data

EAN code		4066529078018
Power supply	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container capacity	l	30
Rated input power	W	max. 1380
Standard nominal width		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	70
Colour		anthracite
Weight without accessories	kg	12.8
Weight incl. packaging	kg	16.8
Dimensions (L × W × H)	mm	525 × 370 × 560

Equipment


Suction hose length	m	2.5
Suction hose type		electrically conductive
Quantity of suction tubes	Piece(s)	2
Suction tubes length	mm	550
Suction tubes material		Steel, chrome-plated
Bend		electrically conductive
Quantity of filter bags	Piece(s)	1
Filter bag material		Fleece
Wet/dry floor nozzle width	mm	300
Crevice nozzle		■
Power tool connection adapter		■
Automatic switch-on/off for electric devices		■
Antistatic system		■
Flat pleated filter		PES with PTFE coating
Protection class		I
Stop swivel castor		■
Filter cleaning		Semi-automatic filter cleaning
Dust class		M
Container material		Plastic

■ Included in the scope of supply.



Dust class M safety vacuum cleaner

- Filtration efficiency of 99.9%.
- Electronic volume flow monitoring.
- Ensures clean and safe workplaces.



Semi-automatic filter cleaning

- Optimum filter cleaning efficiency at the push of a button.
- Enables consistently high filter performance and suction power.
- Time-saving design and longer filter service life.



Complete antistatic system with conductive accessories

- Increased user safety.
- Dissipation of electrostatic charge.
- Protection against electrostatic discharge.

ACCESSORIES FOR NT 30/1 AP TE M

1.148-251.0



		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M				
Flat pleated filter, PTFE				
Wet & Dry flat pleated filter, PES fibre material with PTFE coating, blue label	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with PTFE coating with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	■
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	2	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, DN 35, width 300 mm	3	2.899-691.0	For wet and dry vacuum cleaners from Kärcher: plastic floor nozzle in nominal size DN 35. Features brush strips and squeegees that are easy to change. Width: 300 mm.	■
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	4	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
SUCTION TUBES				
Suction tubes, metal				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	5	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	■
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)				
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	6	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	■
Extension hose, T and NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, connecting adapter	7	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	□
CONNECTING SLEEVES				
Connection adapter for power tools, clip connection				
Tool adapter for power tools, DN 35, clip 2.0	8	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	■
FILTER BAGS				
Fleece filter bags				
Fleece filter bags, 5 Piece(s), NT 30/1	9	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	□
FILTER T/ NT				
Plastic sacks for dust-free disposal				
Plastic bag for dust-free disposal, 10 Piece(s), NT 30/1, NT 40/1, NT 50/1	10	2.889-231.0	PU plastic bag for dust-free disposal. Pack of 10.	□
Fabric filter				
Membrane filter, NT 30/1, NT 40/1, NT 50/1	11	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	□
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS				
Car cleaning accessory kit	12	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	□
OTHER ACCESSORIES NT				
Adapter clip new on clip old DN 35	13	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	□