

297452C



Aluminium telescoopsteel
met aan/uit kraan en
Gardena-aansluiting (C),
1060 - 1600 mm, Ø32 mm
Zwart



Professionele telescoopsteel met waterdoorvoer en een lengte van 1,80 m. De steel heeft een geïsoleerd manchet voor extra comfort. Door de on/off 1/2" click-fit koppeling kun je de steel combineren met Hozelock, Gardena en Nito aansluitingen. Maximale waterdruk: 6 bar.

Technical Data

Item Number	297452C
Connection	Draad
Materiaal	Geanodiseerd aluminium Polypropyleen Verchroomd messing
Voor Levensmiddelen (EU 1935/2004) DoC ¹	Nee
Geproduceerd volgens EUstandaard 2023/2006/EG betreffende Good Manufacturing Practice (GMP)	Ja
FDA goedgekeurd (CFR 21) ¹	Nee
Complies with UK 2019 No. 704 on food contact materials	Nee
Meets the REACH Regulation (EC) No. 1907/2006	Ja
Complies with California Proposition 65	Nee
Is Halal and Kosher compliant	Ja
PFAS, ftalaten en BPA bewust toegevoegd	Nee
Aantal per collo	5 Pcs.
Aantal per pallet (80 x 120 x 180 cm)	200 Pcs.
Quantity Per Layer (Pallet)	1 Pcs.
Collo lengte/Diepte	85 mm
Collo breedte	90 mm
Collo hoogte	1390 mm
Product diameter	32 mm
Product Length/Depth	1060 mm
Breedte	32 mm
Hoogte	32 mm
Maximale lengte	1600 mm
Netto gewicht	0,64 kg
Gewicht doos (Recycling symbol "20" PAP)	0,09 kg
Total Tare Weight	0,09 kg
Bruto gewicht	0,73 kg
Kubieke meter	0,001085 M3
Maximale druk Bar	6 Bar
Maximale gebruikstemperatuur (voor non food contact)	50 °C
GTIN-13 code	5705022030503
GTIN-14 code	15705028030498
Commodity code	76169990
Land van oorsprong ISO Code	DK
Land van oorsprong	Denmark

** Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.