Revision: 11.10.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 3 (replaces version 2)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Detergent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Printing date 14.04.2023

Version number 3 (replaces version 2)

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 1)

Revision: 11.10.2022

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous components:		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	≥1-≤5%
CAS: 68439-51-0	Fatty alcohol ethoxylate Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥2.5-≤5%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		

· Regulation (EC) No 648/2004 on detergents / Labelling for contents		
non-ionic surfactants	<5%	
perfumes, preservation agents (BENZISOTHIAZOLINONE)		

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- · After skin contact Immediately wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.



Printing date 14.04.2023 Version number 3 (replaces version 2) Revision: 11.10.2022

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- \cdot Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



Printing date 14.04.2023

Version number 3 (replaces version 2)

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 3)

Revision: 11.10.2022

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs	•		
67-63-0 pr	onan-	2-ol	
Oral	. •		
	l	26 mg/kg*d (consumer)	
Dermal	DNEL	888 mg/kg*d (employee)	
		319 mg/kg*d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
57-55-6 Pı	ropylei	ne glycol	
Oral	DNEL	85 mg/kg*d (consumer)	
Dermal	DNEL	213 mg/kg*d (consumer)	
Inhalative	DNEL	168 mg/m3 (employee)	
		50 mg/m3 (consumer)	
· PNECs			
67-63-0 pr	opan-	2-ol	
PNEC		140.9 mg/l (freshwater)	
	ĺ	140.9 mg/l (marine water)	
		140.9 mg/l (STP)	
		2251 mg/l (STP)	
PNEC sediment 552 mg/kg (freshwater)		552 mg/kg (freshwater)	
		552 mg/kg (marine water)	
PNEC soil 28 mg/kg (soil)			
57-55-6 Propylene glycol			
PNEC		26 mg/l (marine water)	
		2000 mg/l (STP)	
	I		

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.

(Contd. on page 5)



Printing date 14.04.2023 Version number 3 (replaces version 2) Revision: 11.10.2022

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 4)

· Penetration time of glove material Not required.

· Eye/face protection Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical stateColour:FluidBlue

Odour: synthetic perfume
 Odour threshold: Not determined.
 Melting point/freezing point: undetermined

Boiling point or initial boiling point and boiling range

range >100 °C · Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: 70 °C (Closed Cup)
Ignition temperature: not applicable

• Decomposition temperature: Not determined.

• pH at 20 °C 7.8

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.<100 mPas

· Solubility

Water: Fully miscible
 Partition coefficient n-octanol/water (log value)
 Vapour pressure: Fully miscible
 Not determined.

· Density and/or relative density

Density at 20 °C: 0.995 g/cm³
 Relative density Not determined.
 Vapour density Not determined.
 Relative gas density Not determined.
 Particle characteristics Not applicable.

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and environment, and on safety.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

(Contd. on page 6)



Printing date 14.04.2023 Version number 3 (replaces version 2) Revision: 11.10.2022

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 5)

Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

67-63-0 propan-2-ol

Oral LD50 5840 mg/kg (Rat) (OECD 401)

(Contd. on page 7)



Printing date 14.04.2023

Version number 3 (replaces version 2)

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

Revision: 11.10.2022

	(Con	ta. of page 6)
Derm	al LD50 13900 mg/kg (Rabbit) (OECD 402)	
57-55	-6 Propylene glycol	
Oral	LD50 22000 mg/kg (Rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12 1 Toxicity

12.1 10/10	· 12.1 Toxicity			
· Aquatic to	· Aquatic toxicity:			
67-63-0 pro	67-63-0 propan-2-ol			
LC50/96 h	LC50/96 h 9640 mg/l (Pimephales promelas)			
EC50/48 h	13299 mg/l (Daphnia magna)			
EC50/72 h	EC50/72 h >1000 mg/l (Desmodesmus subspicatus)			
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)			
57-55-6 Pro	57-55-6 Propylene glycol			
LC50/96 h	40613 mg/l (Oncorhynchus mykiss)			
2634-33-5 °	1,2-benzisothiazol-3(2H)-one			
LC50/96 h	1.6 mg/l (F26) (OECD 203)			
EC50/48 h	3.27 mg/l (Daphnia magna) (OECD 202)			
EC50/72 h	0.11 mg/l (F29) (OECD 201)			
EC50/3h	EC50/3h 13 mg/l (STP)			
NOEC	NOEC 1.2 mg/l /21 d (Daphnia magna)			
	0.04 mg/l /72 h (F29)			
	0.21 mg/l /28 d (Oncorhynchus mykiss)			

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 14.04.2023 Version number 3 (replaces version 2) Revision: 11.10.2022

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 7)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, ADN, IMDG, IATA Void
- · 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void
- · 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- · Class Void

(Contd. on page 9)

Revision: 11.10.2022



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2023

Version number 3 (replaces version 2)

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

		(Contd. of page 8)
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

· Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

(Contd. on page 10)



Printing date 14.04.2023

Version number 3 (replaces version 2)

Trade name: SanitPro Sanitary Cleaner / Deodoriser Urisan

(Contd. of page 9)

Revision: 11.10.2022

· Version number of previous version: 2

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard — Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

· * Data compared to the previous version altered.

. 0.011-031.0

Urisan/2

2.620

ΕU